Application/Control Number: 10/507,543 Page 2

Art Unit: 3612

Attachment to form PTO-90

1. The reply filed on 6-10-08 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the claim qualifiers for claims 24, 25, and 26 are incorrect and should be updated to "withdrawn" to correspond to each claim's current status. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Gordon whose telephone number is (571) 272-6661. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/507,543 Page 3

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Stephen Gordon/ Primary Examiner Art Unit 3612

stg